



Canon i-SENSYS MF655Cdw Laser A4 1200 x 1200 DPI 21 ppm Wifi

Marque : Canon

Famille de produit: i-SENSYS

Code produit: 5158C004

Nom du produit : MF655Cdw



Canon i-SENSYS MF655Cdw. Technologie d'impression: Laser, Impression: Impression couleur, Résolution maximale: 1200 x 1200 DPI. Copier: Copie couleur, Résolution max. des copies: 600 x 600 DPI. Numérisation: Numérisation couleur, Résolution de numérisation optique: 600 x 600 DPI. Fonctions recto verso: Copie, Impression. Taille de papier de série A ISO maximum: A4. Wifi. Impression directe. Couleur du produit: Noir, Blanc

| Printing | | Paper handling | |
|---|------------------------------|---|--|
| Print technology * | Laser | ISO B-series sizes (B0...B9) | B5 |
| Printing * | Colour printing | Non-ISO print media sizes | Executive, Legal, Letter, Oficio, Statement |
| Duplex printing * | ✓ | Envelopes sizes | C5, Com-10, DL, Monarch |
| Maximum resolution * | 1200 x 1200 DPI | Paper tray media weight | 60 - 163 g/m ² |
| Print speed (black, normal quality, A4/US Letter) * | 21 ppm | Ports & interfaces | |
| Time to first page (black, normal) | 10.4 s | Direct printing * | ✓ |
| Time to first page (colour, normal) | 10.5 s | USB port | ✓ |
| Secure printing | ✓ | Network | |
| Copying | | Wi-Fi * | ✓ |
| Duplex copying * | ✓ | Ethernet LAN * | ✓ |
| Duplex copying mode | Auto | Ethernet LAN data rates | 10,100,1000 Mbit/s |
| Copying * | Colour copying | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Maximum copy resolution * | 600 x 600 DPI | Security algorithms | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK |
| Maximum number of copies | 999 copies | Management protocols | SNMPv1, SNMPv3 (IPv4,IPv6) |
| Copier resize | 25 - 400% | Performance | |
| ID-card copy function | ✓ | Internal memory * | 1024 MB |
| Scanning | | Built-in processor | ✓ |
| Scanning * | Colour scanning | Processor frequency | 800 MHz |
| Optical scanning resolution * | 600 x 600 DPI | Design | |
| Scanner type * | Flatbed & ADF scanner | Product colour * | Black, White |
| Scan to | Cloud, E-mail, FTP, PC, USB | Market positioning * | Business |
| Image formats supported | JPEG, PNG, TIFF | Built-in display * | ✓ |
| Document formats supported | PDF | Display | LCD |
| Input colour depth | 24 bit | Control type | Touch |
| Output colour depth | 24 bit | Colour display | ✓ |
| Greyscale levels | 256 | Power | |
| Scan drivers | ICA, TWAIN, WIA | Power consumption (max) | 850 W |
| Fax | | Power consumption (printing) | 370 W |
| Faxing * | ✗ | Power consumption (standby) | 11 W |
| Features | | Power consumption (sleep) | 0.8 W |
| Recommended duty cycle | 250 - 2500 pages per month | Energy Star Typical Electricity Consumption (TEC) | 0.19 kWh/week |
| Maximum duty cycle * | 30000 pages per month | AC input voltage | 220 - 240 V |
| Duplex functions * | Copy, Print | AC input frequency | 50 - 60 Hz |
| Printing colours * | Black, Cyan, Magenta, Yellow | | |
| Page description languages | PCL 5c, PCL 6, UFR II | | |

| Input & output capacity | | System requirements | |
|-----------------------------------|---|-------------------------------------|---|
| Total number of input trays * | 1 | Windows operating systems supported | Windows 10, Windows 11, Windows 8.1 |
| Total input capacity * | 250 sheets | | Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey |
| Total output capacity * | 100 sheets | | |
| Multi-Purpose tray | ✓ | | |
| Maximum input capacity | 251 sheets | | |
| Paper handling | | Mac operating systems supported | |
| Maximum ISO A-series paper size * | A4 | | |
| Paper tray media types * | Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper | | |
| ISO A-series sizes (A0...A9) * | A4, A5 | Server operating systems supported | Windows Server 2022 |
| Operational conditions | | | |
| | | Operating relative humidity (H-H) | 20 - 80% |
| | | Operating temperature (T-T) | 10 - 30 °C |
| Weight & dimensions | | | |
| | | Width | 451 mm |
| | | Depth | 460 mm |
| | | Height | 360 mm |
| | | Weight | 22.6 kg |



4549292186048

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-FEB-2025. Prints or copies of Information are only valid on the printed Publication date